



**CHORE
PRODUCTS**

POWERING AHEAD





Field & Brush Mowers
Walk-Behind4
Attachments.....10
Accessories12
Tow-Behind14

Finish Mower15

Trimmer Mowers
Walk-Behind.....16
Accessories20
Tow-Behind21

Chippers & Chipper Shredders
Chippers24
Chipper Shredders.....26

Leaf & Lawn Vacuums and Blowers
Tow-Behind30
Accessories31
Walk-Behind Vacuums32
Walk-Behind Blowers35

Electric Z-Turn Mowers36

Log Splitters40

Rototillers42

Stump Grinders44

Power Graders46

Haulers
Versa-Trailers50
Powerwagons51

Lawn & Garden Edgers52

Wide-Cut Lawn Mower.....53

Earth Auger54





“...this is the best walk behind brush mower ever built. It cuts through small trees and brush like a hot knife through butter! The Power Steering helps make this machine so much easier to turn while cutting.”

—Louis Costanza, MS




COMMERCIAL XD SERIES

For every day use.

Our NEW COMMERCIAL XD-SERIES is built—maybe overbuilt—for the rigors of continuous use and transport between jobsites. Warranted for 2 years in commercial use (3 years on engine).




Easy Handling & Speed Control at Your Fingertips



INTUITIVE OPERATION

Full control is right at your fingertips. Squeeze the hand lever for forward movement, push the thumb lever for reverse. Action is pressure sensitive so you set the speed.



X-DRIVE POWER STEERING


COMMERCIAL XD-SERIES mowers give you fingertip control. X-DRIVE is enabled by two independent hydrostatic wheel drives which provide a zero-degree turning radius and virtually effortless maneuverability.

Performance features for the commercial user.



INTEGRATED TIE-DOWNS

4 welded steel hooks (2 on each side) provide secure anchor points for transportation.




HAND GUARDS

Protect operator's hands from brush, briars, and other obstacles.



CONTROL PANEL

All primary controls in one place. Maintenance meter to track service intervals.



TOOL-FREE DRAIN HOSE

Makes removing oil fast, neat, and easy. No tools needed, just uncap and drain.

CUSTOM BLADE SPINDLE

Made of cast iron with oversized, sealed bearings for maintenance-free performance and durability. A zerk fitting allows for spindle to be greased from above the deck.



SOLID COMPONENTS

The levers and linkages for wheel drives are solid metal (no cables) so they won't stretch, snag, or need to be readjusted.

Power to Spare!



KAWASAKI FS600V

COMMERCIAL ENGINES

A commercial machine demands a no-nonsense commercial engine. Whether you go with the XD26 or XD30, you get a proven workhorse with a name you can trust. Each is covered with a full 3-Year commercial warranty.



10.2 HP XD26

18.5 HP XD30

	10.2 HP XD26	18.5 HP XD30
SKU	AT59026HMN	AT59030KEN
Cutting Width	26"	30"
Cutting Capacity	4'-high grass, 8'-weeds & brush 2"-thick saplings	6'-high grass, 8'-weeds & brush, 3"-thick saplings
Engine	Manual- or Electric-Start Honda GXV390 OHV	Electric-Start Kawasaki FS600V OHV
Power Steering	Yes	Yes
Weight	313 lbs	379 lbs
Warranty	Machine: 2 yrs residential & commercial. Engine: 3 yrs residential & commercial	



HONDA GXV390

PRO SERIES

Turn on a Dime—Almost Effortlessly!

Each wheel is equipped with a hand-operated disc brake. Just squeeze the brake on one side and the mower will pivot around that wheel. This simple but highly effective system lets you easily navigate around trees and obstacles...or make a 180° turn at the end of a row.



ALL WALK-BEHIND MODELS FEATURE:

- GEAR-DRIVEN TRANSMISSION
- 3 FORWARD SPEEDS/1 REVERSE
- PIVOTING DECK
- COMMERCIAL-GRADE ELECTRIC CLUTCH
- ATTACHMENT COMPATIBILITY (see pages 10-11)
- ADJUSTABLE HANDLEBARS
- CUSTOM MADE SPINDLES
- 18" X 6.5" LUGGED TIRES
- POWER STEERING AVAILABLE ON SELECT MODELS



	10.5 HP PRO 26	14.5 HP PRO 26
SKU	AT43026BMN	AT45026BEN
Cutting Width	26"	26"
Cutting Capacity	4'-high grass, 8'-weeds & brush, 2"-thick saplings	4'-high grass, 8'-weeds & brush 2"-thick saplings
Engine	Manual-Start Briggs & Stratton® E™ Series OHV	Electric-Start Briggs & Stratton® EX™ Series OHV
Power Steering	Yes	Yes
Weight	268 lbs	290 lbs
Warranty	Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial	

ADJUSTABLE HANDLEBARS
for a comfortable working height.



EVERYTHING AT YOUR FINGERTIPS

All operating functions are on our control panel or on the handgrips: electric start, operator presence, throttle, gear shift, blade engagement, and independent wheel brakes.

HARDENED STEEL BLADES

These big blades weigh up to 6 pounds and are a full 1/4" thick. (Optional Extra Heavy-Duty Brush Blade available for sustained mowing in thick brush.)

ELECTRIC CLUTCH

This extremely rugged clutch enables you to engage the blade instantly, with the pull of a knob. Because the "communication" is electrical, there are no cables or linkages to adjust or wear out.

WIDE CUT

Only DR® gives you the choice of models with 26", 30", or 34" wide mowing decks.



16.5 HP PRO XL30	22 HP PRO XL30	22 HP PRO MAX34
AT45030BEN	AT47330BEN*	AT47334BEN*
30"	30"	34"
6'-high grass, 8'-weeds & brush, 2.5"-thick saplings	6'-high grass, 8'-weeds & brush, 3"-thick saplings	6'-high grass, 8'-weeds & brush, 3"-thick saplings
Electric-Start Briggs & Stratton® EX™ Series OHV	Electric-Start Briggs & Stratton® INTEK OHV	Electric-Start Briggs & Stratton® INTEK OHV
Yes	Yes	Yes
303 lbs	325 lbs	339 lbs

Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial

* Not available for sale in California

Turn your Brush Mower into a 4-SEASON WORKHORSE!



42" LAWN MOWER

Cuts a clean, even 42"-wide swath and mows a half-acre lawn in about 30 minutes. Front caster wheels swivel for fast, tight turns. Deck is made of 12-gauge steel with 2 high-lift mulching blades. Easily converts from side-discharge to mulching. Height adjustment from 2" to 4.5".

SKU 370563

SNOW THROWER

Throw snow off long driveways and walkways with our single-stage, 30"-wide Snow Thrower attachment. The powerful auger quickly chews through dry or wet snow, and towering snowdrifts. Throws snow up to 30 feet. Adjustable skid shoes.

SKU A000267409

CHIPPER

An 18-pound flywheel creates tremendous inertia for smooth chipping. The single chipping knife takes up to 40 bites per second, for quickly devouring hardwood branches up to 3.5" thick. Now you can rid your property of unsightly brush piles.

SKU 366433



**DR® Field and Brush Mower
POWER UNIT**



GRADER/SNOW BLADE

Mount this 42"-wide Blade to spread and level loose gravel, topsoil, sand, and more. (Not for use moving packed material.) Works great in snow, too. Made of 11-gauge steel for strength.

SKU 157500



EASY ON—EASY OFF ATTACHMENTS

We designed the Field and Brush Mowers with a unique coupling system that makes it easy to add optional attachments. Just slide off the brush deck and slide the attachment onto the power unit shaft, slip the belt over the electric clutch's pulley, and lock the attachment in place with a locking pin.

DR® EXCLUSIVE!

The DR® is the **ONLY** brush mower with the versatility to accept attachments for year-round use.

NOTE: Attachments are not compatible with the **COMMERCIAL XD Series** or **PREMIER** model.

GET MORE OUT OF YOUR PRO SERIES FIELD & BRUSH MOWER

MAINTENANCE METER

Monitor engine hours, RPM, and oil and filter change schedules.



HEAVY-DUTY BRUSH BLADE

For particularly thick, woody brush. 1/4"-thick, 6 lbs.



BATTERY CHARGER

For all electric-starting models.



PROTECTIVE COVER

Protect your machine from dirt and dust. For all models except PRO MAX34.



HALOGEN HEADLIGHT

55-watt halogen lamp easily connects to the machine's electrical system.



TIRE CHAINS

Get extra traction in snow or ice.



MAINTENANCE KITS

For all models. Includes wheel and blade drive belts, paper air filter, spark plug(s), fuel stabilizer, engine oil, and oil filter (where required).



PREMIER Model

Our value choice.

Our PREMIER model provides excellent balance, performance, and ease-of-use. With a 26" cutting width and three forward speeds (as well as powered reverse) the Premier is a tremendous value.



NOTE: Premier Model has a fixed position deck and does not accept optional attachments.



10.5 HP PREMIER 26

SKU	AT41026BMN
Cutting Width	26"
Cutting Capacity	4'-high grass, 8'-weeds & brush 2"-thick saplings
Engine	Manual-Start Briggs & Stratton E™ Series OHV
Power Steering	No
Weight	240 lbs
Warranty	Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial

Clear brush WHILE YOU RIDE!



REMOTE BLADE CONTROL

A remote control allows you to engage and disengage the mower blade from the driver's seat of your tow vehicle.

SHOCK-ABSORBING "SWINGING" BLADES

If you hit an obstacle, blades PIVOT, protecting engine and spindle.

HINGED HITCH

Our unique Hinged Hitch makes it easy to hook up to ATVs, UTVs, and lawn and garden tractors (minimum 14 HP and/or 400 lbs.) with a pin hitch, regardless of the height of the vehicle's hitch. If you're not offsetting the mower, you can just use the shorter towbar.

ELECTRIC LIFT

PRO MAX52T model features an electric lift for easily adjusting mowing height from driver's seat.

FLOATING DECK RIDES OVER OBSTACLES

The deck is suspended from a frame, allowing it to ride up and over high points, minimizing scalping and protecting the drivetrain from damage.

BLADES EXTEND BEYOND THE WHEEL PATH

The 2 mowing blades extend outside of the wheels—so you mow right up next to fences, walls, hedgerows, and other obstacles.



	10.5 HP PREMIER 44T	16.5 HP PRO 44T	20 HP PRO XL44T	22 HP PRO MAX52T
SKU	TB21044BEN	TB23044BEN	TB25344BEN	TB27052BEN
Cutting Width	44"	44"	44"	52"
Cutting Capacity	4'-high grass; 8'-high weeds & brush; 3"-thick saplings	4'-high grass; 8'-high weeds & brush; 3"-thick saplings	6'-high grass; 8'-high weeds & brush; 3"-thick saplings	6'-high grass; 8'-high weeds & brush; 3"-thick saplings
Engine	Electric-Start Briggs & Stratton® E™ Series OHV	Electric-Start Briggs & Stratton® EX™ Series OHV	Electric-Start Briggs & Stratton® PXi™ Series V-Twin	Electric-Start Briggs & Stratton® PXi™ Series V-Twin
Weight	413 lbs	448 lbs	460 lbs	566 lbs
Warranty	Machine: 2 yrs residential/90 days commercial. Engine: 2 yrs residential/1 yr commercial			



A quality finish cut for large, open lawns

Our Tow-Behind FINISH CUT Mowers produce a finish-quality cut on big open lawn areas.

- 60" Wide Cut
- Tow with a Riding Mower, ATV, UTV, or Tractor
- Use as an outrigger to your traditional riding mower (or Zero-Turn) and EXPAND your cutting width



3 AIR-TIP BLADES provide excellent lift and deliver a clean finish cut.



ELECTRIC START, THROTTLE CONTROL and BLADE ENGAGEMENT in one convenient location.

14.5 HP PRO XL60T

SKU	TF13060BEN49
Cutting Width	60"
Cutting Capacity	1' High Grass
Engine	Electric-Start Briggs & Stratton® OHV EX™ Series
Weight	320 lbs
Warranty	Machine: 2 yrs residential/90 days commercial. Engine: 2 yrs residential/1 yr commercial



“What a great time saver! I was able to cut down the long weeds around my pond in record time. Even used it to cut down the tall grass and small bushes that took over the shady ground under my big trees....every rural home should have one of these.”

—Louis B., VA







The Original Trimmer-On-Wheels—
**Engineered & Built for
 ENDURING PERFORMANCE.**

DR invented the trimmer-on-wheels category and we have perfected it over the years!

STURDY ALL-STEEL FRAME

The mainframe on every DR® Trimmer Mower is made of heavy-duty 14-gauge steel. These lightweight frames are incredibly strong, and powder-coated to resist rust and corrosion.

OFFSET FRAME DESIGN

Ensures that the cut reaches outside the wheel path, making it easy to trim up against fences and foundations.

BLADE BRAKE CLUTCH (BBC)

The BBC allows you to stop the trimmer head from spinning (by releasing the bail bar) *without* stopping the engine—cutting down on how often you need to restart. (Not on Pilot Model).

ADJUSTABLE HANDLEBAR

Easily adjusts without tools.

RUGGED CAST-ALUMINUM BEARING ASSEMBLY

Cast entirely from lightweight, high-strength aluminum, the main Bearing Assembly has roller bearings at the top and bottom—to withstand the rigors of hundreds of hours of heavy-duty trimming and mowing at over 3,000 rpm.



	PILOT	PREMIER
SKU	T4X1070DMN	TR43067BMN, TR43067BEN
Cutting Width	22"	22"
Cutting Height	5 Heights, 1.5" to 3.5"	5 Heights, 1.5" to 3.5"
Engine	Manual-Start 7.0 ft-lbs DR® OHV	Manual- or Electric-Start 6.75 ft-lbs Briggs & Stratton EXI OHV
Wheels	14" Resin	14" Resin
Warranty	Machine & Engine: 2 yrs residential/90 days commercial	

PULSE 62V *BATTERY-POWERED* Trimmer Mower!

- LIGHT AND MANEUVERABLE (just 45 lbs including battery)!
- ULTRA QUIET...mow any time of day without disturbing neighbors!
- TRIM FOR UP TO 40 MINUTES on a single charge (equivalent to a tankful on our gas models)

NO GAS, NO FUMES, NO FUSS!

Powering up is as simple as inserting the battery and using the push-button electric start.

QUICK-LOCK™ TRIMMER HEAD

The PULSE 62V model uses a customized version of our Quick-Lock™ Trimmer Head. Change cord in seconds without tools!

850W BRUSHLESS MOTOR

brings all the power of gas to your trimming tasks. Plus, it's so QUIET that you can trim or mow any time of day without disturbing your neighbors.

ERGONOMIC HANDLEBARS

with vibration-dampening grips make operating for extended periods easy comfortable.



**62 VOLT
LITHIUM-ION
POWER!**



5.0 Ah Battery and Charger sold separately.

	PULSE 62V	PULSE 62VSP <i>Self-Propelled</i>
SKU	T4X3162XEN	T4X5162XEN
Cutting Width	18"	18"
Cutting Height	3 Heights, 2" to 4"	3 Heights, 2" to 4"
Motor	DR® 850 Watt Brushless Motor / 5Ah 62V Battery	DR® 850 Watt Brushless Motor / 5Ah 62V Battery
Wheels	14" Resin	14" Resin
Warranty	Machine: 2 yrs residential/90 days commercial	



PRO	PRO XL	PRO XLSP <i>Self-Propelled</i>
TR45072BMN, TR45072BEN	TR45187BEN	TR47187BEN
22"	22"	22"
5 Heights, 1.5" to 3.5"	5 Heights, 1.5" to 3.5"	5 Heights, 1.5" to 3.5"
Manual-, or Electric-Start 7.25 ft-lbs Briggs & Stratton EXi OHV	Electric-Start 8.75 ft-lbs Briggs & Stratton EXi OHV	Electric-Start 8.75 ft-lbs Briggs & Stratton EXi OHV
16" Resin	16" Resin	14" Resin
Machine & Engine: 2 yrs residential/90 days commercial		

Patented Quick-Lock® Cord Attachment System

Offers 3 Benefits Unmatched by ANY Other Cord System:

SIMPLY PUSH CORD IN TO ATTACH

1-way cam allows cord to enter, but it cannot pull out, even in brushy conditions.


SELECT A WIDE RANGE OF CUTTING HEIGHTS

From 1" to 7.5" (depending on the Trimmer Mower model).

ACCEPTS 225 MIL SAWTOOTH CORD AND 255 SERRATED CORD

The thickest, longest-wearing cords in the industry.

Our DR® Cord is thicker and tougher than normal trimmer line and that translates into more power for cutting gnarly vegetation. In addition to being STRONGER, DR cord LASTS much longer than any trimmer. PLUS, we offer a great assortment of cord, in a variety of bulk options—



Quick-Lock™ Trimmer Head Kit
Comes Standard on All
Tow-Behind Trimmers

PRECUT LENGTHS

The ultimate in convenience, cord is precut to the right length for all DR Trimmer Mower models.



1 LB ROLLS

Economical 1-pound rolls. Cut it to length as you need it and save versus buying precut. Each roll includes from 80 to 250 feet of cord (depending on the cord size).



JUMBO SPOOLS

For those who trim and mow frequently, these spools offer the lowest possible "per foot" cost. Up to 394 ft of cord included.



	SILVER Notched	ORANGE Round	GREEN Round	BLUE Spiral	ORANGE Serrated	GRAY Serrated
Thickness	095 mil	130 mil	155 mil	175 mil	225 mil	255 mil
Recommended for	PULSE model	Any model except PULSE	Any model except PULSE	Any model except PULSE	Models with Quick-Lock™	Models with Quick-Lock™
11" PRECUT for PULSE-62V Model (1)	48 Pack 10000044511					
13" PRECUT for Quick-Lock Trimmer Head (2)			48 Pack 356331	48 Pack 356321	48 Pack A0000000187	48 Pack A0000000190
25" PRECUT for Wide-Body Trimmer Head (3)			24 Pack 321821	24 Pack 321811		
1 lb Roll	250 ft A0000052381	120 ft 196581	100 ft 196591	80 ft 196601	82 ft 362071	72 ft A0000000188
5 lb Spool			394 ft A0000000192	318 ft A0000000191	324 ft A0000000152	

Beaver Blade® Attachment Turns Your Trimmer Mower Into A Brushcutter On Wheels



The Beaver Blade® Attachment, which easily installs on any Walk-Behind Trimmer Mower model,

allows you to cut brush and even small trees up to 3" thick! The Beaver Blade® should always be used with the Aluminum Mow-Ball® Support.

BEAVER BLADE® Attachment Package includes Aluminum Mow-Ball® Support and sharpening file.



DR® DURABLADES®

Our DR® DuraBlades® easily mow through brambles, vines, stalky weeds like burdock and cattails, and woody brush up to 3/8" thick. Plus, they are 100 times stronger than our cutting cords!

DR® DuraBlade Kit
Replacement Blades 6 pack

Trim and mow...WHILE YOU RIDE!

- Fence lines
- Underneath shrubs
- Driveway shoulders
- Orchards
- Pond banks

ATV Model PRO XLT

SPRING-LOADED TENSIONING allows the trimmer mower head to easily deflect around obstacles for precise mowing and trimming.

SMART SHIELD covers cord on the cutting edge but leaves it open in the back to provide easy access for cord changes.

UP TO 72" OFFSET REACH depending on tow vehicle. The wide reach allows you to trim and mow up to four feet outside your wheelbase.

ANTI-SCALPING WHEEL prevents damage to your turf. Adjustable height.



3-Point Hitch Model PRO XLP

Mow Fence Lines 3X Faster!

PROTECTED SHAFT COUPLING keeps PTO free from debris.

SPRING-LOADED MOWING ARM lets you adjust the amount of resistance against your fence posts. The circular guard rides around fence posts so you can cut back grass and weeds that can short out electric fences when wet.

23" DIAMETER STEEL GUARD Cut within 1/2" of fence posts and other obstacles!

DECK PIVOTS UP AND DOWN to mow ditches and roadsides without scalping.



	7.25 ft-lbs PRO XLT	PRO XLP
SKU	TT13072BMN	TT130003PN
Cutting Width	22"	22"
Cutting Height	3" to 7.5"	1" to 7"
Engine	7.25 ft-lbs Briggs & Stratton EXi OHV	Tractor Dependent up to 45HP (Category 1 tractors), 80" Max Wheelbase
Weight	262 lbs.	220 lbs.
Warranty	Machine & Engine: 2 yrs residential/90 days commercial	N/A



“I can’t begin to count the purchases that I have regretted making. This is not one of them... great design, execution and ease of use. Wish I had bought it sooner.”

—Chuck R., AR







Our dedicated Self-Feeding Chippers are designed for branches and other woody material up to 5.75" in diameter. These machines are engineered for the rigors of continuous wood chipping—hour after hour, year after year. They feature powerful engines, heavy-duty flywheels that create the inertia to chew up the toughest wood, and can be transported in multiple ways.

They also have big, oversized hoppers, which means you have greater leeway to feed in material with side branches so you spend less time pruning.



9.2 HP PREMIER 375

11.7 HP PRO 475

	9.2 HP PREMIER 375	11.7 HP PRO 475
SKU	CP53037DMN	CP55047DMN, CP55047DEN
Chipping Capacity	3.75" Diameter	4.75" Diameter
Flywheel	14", 25 lbs.	17.75", 50 lbs.
Engine	Manual-Start DR® OHV	Manual- or Electric-Start DR® OHV
Hopper Opening	14.5" x 23.5"	17" x 27"
Weight	164 lbs.	270 lbs. (Man-Start) / 277 lbs. (Elec-Start)
Warranty	Machine & Engine: 2 yrs residential, 90 days commercial	

CHIPPER ACCESSORIES

ROAD-TOWING PACKAGE

Make the PRO and PRO XL models ROAD-READY with our Road Towing Package: lights, highway axle, high-speed wheels and bearings, fenders, 2" ball coupler, and safety chains.



PIN HITCH PACKAGE
for Premier 375 Model



EXTENDED DISCHARGE CHUTE

Compatible with DR PRO, PRO XL, and 3-Point Hitch Self-Feeding Chipper models. The Extended Discharge Chute allows you to load chips directly into a pickup bed or cart, so you don't have to pick them up off the ground. You can control the angle of discharge with a multi-position deflector.



13.5 HP PRO XL575

CP57057DEN

5.75" Diameter

20", 62.5 lbs.

Electric-Start
DR® OHV

19" x 30.5"

325 lbs.

Machine & Engine: 2 yrs residential, 90 days commercial

3-POINT HITCH PRO 475P

CP550403PN

4.75" Diameter

17.75", 50 lbs.

PTO Driven,
Category 1 Tractor, 19HP – 65 HP

7" x 27"

255 lbs.

Machine: 2 yrs residential, 90 days commercial

COMPLETE YARD & GARDEN CLEANUP



6.6 HP PREMIER 310

9.2 HP PRO 410

	6.6 HP PREMIER 310	9.2 HP PRO 410
SKU	CS43030DMN	CS45040DMN, CS45040DEN
Chipping Capacity	3" Diameter	4" Diameter
Shredding Capacity	0.5"	0.75"
Engine	Manual- Start DR OHV	Manual- or Electric-Start DR OHV
Shredding Hammers	8	12
Hopper Openings	Chipper:14.2" x 7.2"; Shredder: 19.8" x 13.7"	Chipper: 9.4" x 8.6"; Shredder: 19.6" x 13.3"
Weight	129 lbs	188 lbs
Warranty	Machine & Engine: 2 yrs residential, 90 days commercial	

CHIPPER SHREDDERS have two separate input chutes: one for branches, which get **CHIPPED**, and a bigger one for lighter yard and garden waste, which gets **SHREDDED**.



12.0 HP PRO XL501

CS35150DEN

5" Diameter

1.5" / 20:1

Electric-Start
DR® OHV

24

Shredder 18" x 20"; Chipper: 8" X 12"

545 lbs.

Machine & Engine: 2 yrs residential, 90 days commercial





“What would take me a couple of DAYS multiple times during the fall/spring before raking leaves onto a tarp takes me a couple of HOURS on a Saturday.”

—Shaun M., IL






**Still #1 in POWER and
Now #1 in CAPACITY!**

Maximum Suction Force

Larger engines and impellers combine to provide the highest vacuum power in the industry (as tested by a third party laboratory)—an amazing 2,792 cubic feet per minute! Simply put, the job goes faster, and your lawn ends up looking neater and cleaner.

One-handed dumping

Our PILOT model has buckle closures that open quickly. Our larger models feature a “clamshell” design that lets you dump with JUST ONE HAND!



Collector Folds Flat for Easy Storage!

Constructed of rugged 1800 denier polyester with a weatherproof urethane backing, stretched over a tubular steel frame, our collector is designed to remove quickly. Folds down to only 5" thick! It can easily lean up against the wall or be placed on a shelf.



Virtually Clog-Free Operation!

We spent hundreds of hours testing different size hoses, ranging from 5" to 10", and found 8" to be optimal. Plus, our unique collector top is designed to allow air to escape easily, preventing blockages and keeping debris flowing smoothly throughout the system.

Easily Converts to a Heavy-Duty Utility Trailer!

With the collector and engine/vac removed the DR® doubles as a yard and garden trailer for your riding mower. The PILOT and PRO MAX models feature a flat bed trailer, other models have a molded cart.



6.6 HP PILOT 200

SKU	LL31027DMN
Collector Capacity	27 cu.ft., 200 gal.
Trailer Capacity	400 lbs. (Flatbed)
Engine	Manual-Start, DR® 6.6 HP OHV/223cc
Jackstand	Optional
Weight	230 lbs
Tires	(2) 14" x 4.5"
Warranty	Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial

Tow-Behind Leaf Vac ACCESSORIES



Lawn Saver Wheel Upgrade Kit

For PREMIER and PILOT Models. This axle and wheel kit lets you convert to a dual wheel set up for improved weight distribution that is easier on your lawn.

14' Vacuum Hose

Reach up to 17 feet from your Leaf Vac to clean out corners, perennial beds, under fences, and any spots you can't reach from your tow vehicle. Optional hose picks up just about any type of organic debris—including pine cones, twigs, and nuts—from hard-to-reach spots.

34' Vacuum Hose

Includes the standard 14' Vacuum Hose, a Coupler, and 14' of additional hose.



Trailer Jack Stand

Raise or lower the tongue of your Leaf and Lawn Vacuum for hitching to your tow vehicle without back strain. The hand crank allows you to easily make the small height adjustments you may need in order to align the tongue to your vehicle's hitch—without awkward lifting. *Comes standard on PRO, and PRO XL, and PRO MAX models.*



Mulch Discharge Kit

Use this handy Discharge Hose in conjunction with our optional Vacuum Hose to blow out collected materials into the woods, over fences, or into a container. Perfect for any time you cannot simply dump materials from the Leaf and Lawn Vacuum.



Deck Adapters

Adapt your lawn tractor's discharge chute to your Leaf and Lawn Vacuum's 8" hose. Call or visit online to determine which model is right for your mower.



6.6 HP PREMIER 240	9.2 HP PRO 330	11.7 HP PRO XL 330	11.7 HP PRO MAX450
LL33032DMN, LL33032DEN	LL35045DMN, LL35045DEN	LL37045DMN, LL37045DEN	LL37060DEN
27 cu.ft., 240 gal.	43 cu.ft., 330 gal.	44 cu.ft., 330 gal.	60 cu.ft., 450 gal.
500 lbs. (Cart)	500 lbs. (Cart)	800 lbs. (Cart)	1,100 lbs. (Flatbed)
DR® 6.6 HP OHV/223cc	DR® 9.2 HP OHV/301cc	DR® 11.7 HP OHV/389cc	Electric-Start DR® 11.7 HP OHV/389cc
Optional	Standard	Standard	Standard
231 lbs Manual-Start 243 lbs Electric-Start	300 lbs Manual-Start 311 lbs Electric-Start	313 lbs Manual-Start 325 lbs Electric-Start	325 lbs Electric-Start
(2) 14" x 4.5"	(4) 14" x 4.5"	(4) 14" x 4.5"	(4) 14" x 4.5"
Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial			



ALL NEW PILOT XT Models— **Direct Bagging for Curbside Pickup!**

The **ONLY** powered leaf collector designed to work with **standard, disposable leaf bags!** Not everyone has a convenient place to dump their leaves, and if you are one of those who depend on municipal leaf pickup (or you don't have a good way to haul them away), the all-new DR Direct Bagging Leaf and Lawn Vac may be just what you need!

The DR's EZ Bagger Leaf Collection System makes it simple: 1) unlatch the EZ Bagger cover, 2) place an empty bag on the fold-down platform, 3) crimp the bag around the support ring, latch the cover shut, and 4) vacuum away!



Push and Self-Propelled models available.





INTAKE SNOUT adjusts from 1-4" in height.



ONBOARD CHIPPER chews up branches up to 1.5" thick. *Self-propelled model only.*



EZ BAGGER COVER holds bag place around the support ring.



BAG CADDY comes standard. Carries 10 standard leaf bags. Add a second to carry 20 at a time.



ACCESSORIES

OPTIONAL HOSE KIT Use the optional hose kit to reach up to 7 feet away from the machine and clean up spots you can't reach otherwise. Great for window wells, along foundations, beneath shrubs, etc.



Self-Propelled

	4.3 HP PILOT XT	4.3 HP PRO XTSP
SKU	WL31004DMN	WL31004DEN
Volume Capacity	3 cu.ft., 30 gal.	3 cu.ft., 30 gal.
Engine	Manual-Start DR® 4.3 HP OHV/173cc	Electric-Start DR® 4.3 HP OHV/173cc
Weight Capacity	50 lbs.	50 lbs.
Intake Height	Variable 1"-4"	Variable 1"-4"
Warranty	Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial	

No tractor? No problem.



SELF-PROPELLED (PRO model) with 3 forward speeds and 1 reverse.

LARGEST COLLECTION BAGS in their class holding up to 8 cubic feet of material, and with a weight capacity of up to 80 lbs (PRO model).

EASY ACCESS SIDE ZIPPERS allow unloading to either side of machine. For power-assisted dumping of wet or compacted materials, open flaps and restart engine. This will send a powerful air blast through the collector, emptying it completely.

VENTED PANELS direct air downward, away from the operator.

ONBOARD CHIPPER (PRO model) lets you dispose of branches up to 2" in diameter.

LIFETIME WARRANTY STEEL IMPELLER aggressively mulches material as it is collected, reducing it to as little as one-tenth of its original volume!

DUAL REAR CASTER WHEELS swivel for easy maneuverability.



Onboard chipper!



Steel Impeller



6.6 HP PREMIER

9.2 HP PRO SP

SKU	WL33006DMN	WL35008DMN / WL35008DEN
Suction	86 mph	93 mph
Capacity	6 cubic ft.	8 cubic ft.
Chipping	N/A	Yes- 2" max
Engine	Manual-Start DR OHV 6.6 HP (223 cc)	Manual- or Electric-Start DR OHV 9.2 HP (301 cc)
Drive	Push	Self-Propelled; 3 fwd., 1 reverse
Weight	150 lbs	250 lbs
Warranty	Machine: 2 yrs residential/90 days commercial. Engine: 2 yrs residential/1 yr commercial	

Amazingly POWERFUL and USER-FRIENDLY!

POWERFUL ENGINES

with up to 9.2 horsepower

SELF-PROPELLED MODEL

available for easy use even on sloping terrain

UPWARD "NEUTRAL" NOZZLE POSITION

for when you want to avoid blowing leaves and debris

OPTIONAL ACCESSORIES AVAILABLE

#1 in COMBINED AIR VELOCITY (mph) and VOLUME (cfm)!



The power and convenience of a 180° Rotating Nozzle



	9.2 HP X20 MAX	9.2 HP X20 MAXSP
SKU	LB16020DMN, LB16020DEN	LB18020DEN
Engine	Manual or Electric-Start, DR®, OHV, 301cc	Electric-Start, DR®, OHV, 301cc
Blowing Power	2,000 Cubic Feet per Minute, 200MPH	2,000 Cubic Feet per Minute, 200MPH
Horizontal Air Control	Remote, 180°	Remote, 180°
Vertical Air Control	Remote, 50° up and down	Remote, 50° up and down
Drive	Push	Self-Propelled
Warranty	Machine: 2 yrs residential/90 days commercial. Engine: 2 yrs residential/1 yr commercial	





ZT5E Mowers

The DR® ZT5E Lawn Mowers introduce commercial style zero-turn mowing with a unique battery platform that allows you to customize the power you purchase to the size of your property and the time it takes you to get the job done!

With a choice of mowing widths (48" or 60") and numerous professional features, the DR ZT5E is your ticket to virtually maintenance free lawn care. No more gas fumes, tune ups, or messy refuelings!

Start out with a full charge and you can mow for up to 2.25 hours without stopping—enough to mow as much as 5 ACRES. Recharge overnight and you're ready to go again the next day.



E Series Battery Platform

Use one, two, or three 2.5 kWh E-Series Battery Packs (28 HP gas equivalent) to get the power you need for your property.

The power for mowing and self-propulsion is the same regardless of how many batteries are used—the difference is in runtime.

CUSTOMIZE YOUR RUNTIME!

DR ZT5E	48" Model			60" Model		
	Batteries	1	2	3	1	2
Total kWh	2.5	5	7.5	2.5	5	7.5
Max Runtime	45 mins	1.5 hrs	2.25 hrs	35 mins	1.1 hrs	1.75 hrs
Acres/Charge	1.5	3.25	5	1.5	3.25	5

Professional Performance Features



ROPS
Folds down for mowing in hard-to-reach places. 60" model only.




INTERACTIVE TOUCH SCREEN
Control blade speed and drive speed. Displays battery charge level, operation status, hour meter, and service notifications.

INDEPENDENT WHEEL DRIVE LAP BARS
Adjustable for rider comfort. Dampened for steady, straight-line mowing.

SUSPENSION SEAT
Customize to operator's height (fore and aft adjustment) and weight (dial on seat front).



BLADE DRIVES
Each of the 3 mowing blades has its own dedicated brushless motor.



PROFESSIONAL STEEL FABRICATED DECK
12-gauge reinforced steel deck with multi-position anti-scalp wheel.



HYDRO-GEAR WHEEL DRIVES
Beltless drivetrain uses brushless electric motors to provide precise zero-turn performance.



DECK HEIGHT ADJUSTMENT
15 height adjustments from 1.5" up to 5" in quarter-inch increments.



	ZT5E 48 INCH	ZT5E 60 INCH
SKU	PPZ4048S000N	PPZ5060S000N
Run Time	Up to 2.25 hours	Up to 1.75 hours
Area Capacity	5 Acres	5 Acres
Roll-Over Protection	No	Yes
Transaxles	HydroGear EZTe	HydroGear ZT2800e
Drive Wheels	20" x 9.5"	22" x 10.5"
Anti-Scalp Wheels	2	4
Warranty	2 yrs residential, 90 days commercial	

Horizontal/Vertical Models

TOUGH on logs, EASY on your back!

If you split a lot of heavy logs that are difficult to lift onto a horizontal splitter beam, we recommend our high-quality Horizontal/Vertical Hydraulic Splitters. Simply pivot the splitter to its vertical orientation (in seconds) and split heavy logs at ground level, without having to lift them.



- RUGGED HYDRAULICS
- EASY LOADING HEIGHT
- CAST IRON BEAM
- 16" D.O.T. APPROVED TIRES

	22-TON PREMIER 22T	28-TON PRO 28T
SKU	WH23022DMN	WH25028DMN
Max Log Length/Diameter	25" Log Length 30" Diameter	25" Log Length 30" Diameter
Average Cycle Time	14.5 seconds	17.5 seconds
Engine	Manual-Start DR® 6.6 HP	Manual-Start DR® 6.6 HP
Warranty	Machine & Engine: 2 yrs residential, 90 days commercial	



COMMERCIAL GRADE. COMMERCIAL FEATURES.

EASY LOADING AT THE RIGHT HEIGHT

The 24" beam height minimizes the lift from the ground and creates a comfortable working height for a wide range of users. Accepts logs up to 25" long.

CAST IRON BEAM

provides rock solid stability in either horizontal or vertical mode. Combined with a front foot that plants itself securely, you can count on secure operation—without the rocking you get with lightweight splitters.

RUGGED HYDRAULICS

The hydraulic pumps generates up to 3500 psi in the cylinders (up to 5"). Steel piston compression seals provide consistent power year after year.

16" D.O.T. APPROVED TIRES

Tow these units anywhere—around your property or on public roads, at speeds up to 45 mph.

BALL HITCH

with safety chain Standard on all Horizontal/Vertical models.

Portable *ELECTRIC* Benchtop Model!

Quiet, compact, POWERFUL!

Plug the DR PILOT 5TE into any standard household outlet (110v) and you're ready to get started. Then just load a log, push a lever and watch it split tough hardwood logs up to 10" in diameter and 20" long in seconds.



ELECTRIC PILOT 5TE

SKU	WE21005ACN
Max Log Length/Diameter	20" Log Length 10" Diameter
Average Cycle Time	26 seconds
Motor	Electric 120 Volt, 1,090 Watts
Warranty	Machine & Motor: 2 yrs residential/90 days commercial



Big Garden? TILL WHILE YOU RIDE!

Tow the DR Tiller behind any ATV, riding mower, or tractor and churn soil the easy way! Whether preparing a new garden or “tilling under” in the fall, the DR’s 3-foot wide tilling width gets the job done in half the time it takes with a hard-to-use walk-behind tiller.



	PREMIER 36T	PRO 36T
SKU	TT13036BMN	TT15036BEN
Tines	12	24
Tilling Width	36"	36"
Tilling Depth	Up to 7.5" deep	Up to 7.5" deep
Engine	Manual-Start 9.50 CR Briggs & Stratton OHV	Electric-Start 9.50 XR Briggs & Stratton OHV
Wheels	9.5" Diameter x 2" Width	14" Diameter x 5.5" Width
Warranty	2 yrs residential, 90 days commercial	



The **DR PRO XLDRT** model combines the best features of our PREMIER FRT and PRO CRT models, allowing choice of the appropriate tine rotation direction based on the task at hand. For cultivating and lighter tilling, choose forward rotation (FRT) to get a smooth and efficient churn. For heavier uses—when tilling compacted soil or breaking ground—counter rotation (CRT) provides extra leverage to get the job done without a struggle.




A powerful OHV engine and aggressive counter-rotating tines give the **DR PRO CRT** model the extra muscle needed for sod-busting, making all types of soil preparation fast and easy. Power driven wheels can be released with a pin for free-wheeling when needed to travel or maneuver the tiller.



The **DR PREMIER FRT** model is perfect for preparing flower beds, weeding small areas, and mixing fertilizer into the soil. The tilling width is versatile with the ability to rearrange the tine clusters to get three different widths. The rear wheels swing back while tilling, engaging the drag stake to provide resistance against the forward-rotating tines.



The **DR PILOT CULTIVATOR** is a portable powerhouse that makes a perfect companion for one of our larger DR Rototillers. Tackle the big jobs with a Walk-Behind or Tow-Behind model, then turn to an easy-to-use DR PILOT for lighter weeding and cultivating. Keeping soil loose and drainable as the growing season progresses will help ensure root growth and an abundant harvest.



	PILOT 2C & 4C	PREMIER FRT	PRO CRT	PRO XLDRT
SKU	TW13120DMN, TW13140DMN	TW15221DMN	TW17116DMN	TW19018DMN
Tine Rotation	FRT (Forward)	FRT (Forward)	CRT (Counter)	DRT (Counter or Forward)
Tilling Width	11" or 10"	16"	16"	18"
Tilling Depth	up to 8" or 10"	Up to 11" deep	Up to 11" deep	Up to 11" deep
Engine	2-Cycle 43cc DR® 4-Cycle 40cc DR®	Manual-Start 98cc DR®	Manual-Start 212cc DR®	Manual-Start 209cc DR®
Wheels	7" Diameter x 1.5" Width	11" Diameter x 1.75" Width	Pneumatic 13" x 5"	Pneumatic 13" x 5"
Warranty	2 yrs residential, 90 days commercial			



With a DR® Stump Grinder you don't have to put up with any stump, no matter where it is on your property. And never again will you struggle with back-breaking and time-consuming methods of stump removal (digging by hand, ripping out with a tractor and chains, burning, chemicals).

Remove any size stump **FAST!**



	6.6 HP PREMIER	9.2 HP PRO	11.7 HP PRO XL	11.7 HP PRO XLSP
SKU	ST43011DMN	ST45015DMN, ST45015DEN	ST47019DEN	ST49019DEN
Displacement	223 cc	301 cc	389 cc	389 cc
Engine	Manual-Start DR® OHV	Manual- or Electric-Start DR® OHV	Electric-Start DR® OHV	Electric-Start DR® OHV
Towbar	Optional	Optional	Standard	N/A
Warranty	Machine: 2 yrs residential, 90 days commercial. Engine: 2 yrs residential or commercial			

Patented cutting head with 8 carbide-tipped cutting teeth spin at 88 mph and take 360 bites per second!

Carbide-tipped teeth have 3 grinding positions for added durability.



Our **TOW KIT** comes standard on our PRO XL model and is available as an option on our PREMIER and PRO models. It lets you hitch your DR Stump Grinder to an ATV, UTV, or riding mower with either a pin-hitch or ball hitch.




TAKE IT WHERE YOU NEED IT!
Tow Kit allows you to hitch up to a riding mower or ATV.



Walk your Self-Propelled model easily around your property.

Our PRO XLSP model is **SELF-PROPELLED** thanks to our commercial grade dual shaft transmission, with built in differential, which makes for smooth, easy, self-propelled transport between job sites.



RENEW YOUR DRIVEWAY!

- Fill in potholes, ruts and washboard.
- Keep your driveway smooth—without shoveling and raking.
- Also great for horse rings, ball fields, and parking areas.



EZ-Dial Model



Using carbide scarifying teeth, a 4'-wide leveling blade, and an EZ-Dial adjustment system that allows you to precisely match your grading depth to the hardness of your driveway, the EZ-Dial DR® Power Grader provides superior grading results!

Powered Remote Models



Our models with powered depth control utilize a rechargeable battery, a powerful electric motor, and a precise remote control to raise or lower the scarifying teeth from your towing vehicle with the touch of a button.

Here are the unique features that enable you to remove driveway ruts, washboard, and potholes with ease—

RUGGED STEEL FRAME is fabricated out of solid steel and powdercoated to resist rust and corrosion.

WHEELS lower, lifting the scarifying teeth for shaving off material or for turning.

LEVELING BLADE together with the patented side rails, stays at a uniform height to provide level and uniform distribution of the material being spread. Can be flipped for “scallop” finish.

DUAL HITCH allows you to attach the grader to either a ball hitch, or to a pin hitch, depending on your towing vehicle.



DRAG SCREEN OPTION smooths out clumps and helps fill in hollows. Speeds up work and provides a nice, finished look.



CARBIDE TEETH GUARANTEE YEARS OF SERVICE!

Loosening hard-packed driveway gravel and dirt is incredibly wearing on grading equipment. That's why the scarifying teeth on the DR POWER GRADER are carbide—the same material used on top-quality saw blades—for long wear.



	PREMIER 48 w/EZ-DIAL™	PRO 48	PRO 60
--	------------------------------	---------------	---------------

SKU	PG21148XXN	PG25148XEN	PG25160XEN
Width	48"	60"	60"
Powered Remote	No	Yes	Yes
Teeth	Carbide-Tipped Steel, 12	Carbide-Tipped Steel, 12	Carbide-Tipped Steel, 14
Length	68"	85"	85"
Weight	133 lbs.	168 lbs.	175 lbs.
Recommended Towing Vehicle	Minimum 14HP or 400 lbs. lawn tractor, garden tractor, utility tractor, ATV	Minimum 14HP or 400 lbs. lawn tractor, garden tractor, utility tractor, ATV, UTV	Minimum 19HP and 500 lbs. lawn tractor, garden tractor, utility tractor, ATV, UTV
Warranty	2 yrs residential, 90 days commercial		



“This machine is amazing! I buy my pellets by the pallet—sixty 40 lb bags. I load ten 40 lb bags of pellets in the machine’s box and head to the shed. Heck of a machine!”

—Michael, CO





Love the versa trailer—the dump feature really comes in handy. It is very well made and a great design. Highly recommended

—Marcel, ME





Power Loading up to 440 lbs!

The Ultimate BIG LOAD TRAILER

Built for the long haul

The DR® Versa-Trailer, available in 2 rugged models, both featuring galvanized steel frames and bodies, big aggressive tires for high ground clearance, steep dump angles to empty completely every time, and removable end panels for carrying long loads.

1/2-TON model (PRO 1000)

Our smaller trailer is just about as versatile as our 1-Ton model for customers who don't require the boom lift. Easy to dump by hand. Add winch kit for added ease with heavy loads or skidding.



Optional Wall Extenders for BOTH models



Optional Electric Winch for 1-TON model



Optional Jack Stand 1/2-TON model



Optional Hand Winch for 1/2-TON model

1-TON model (PRO XL2000)


Features a boom lift that lets you hoist heavy objects from either side of the trailer plus side stabilizers to steady the trailer for loading and unloading. The dump bed converts to a stake body for carrying logs or other long loads. The tandem wheels (on a pivoting axle) let you "walk" over downed trees and other obstacles.



PRO 1000 shown with optional Pivoting Jack Stand



PRO XL2000 shown with optional accessories



Power Unloading up to 600 lbs!



Converts to a stake bed hauler



Tandem wheels on 1-TON model "walk" over obstacles

PRO 1000

PRO XL2000

	PRO 1000	PRO XL2000
SKU	VT13005TBN	VT15010TBN
Hauling Capacity	1000 lbs.	2000 lbs.
Bed Volume	16.85 cu. ft.	31.25 cu. ft.
Bed Dimensions	57.3"L x 35.7"W x 18.1"H	79"L x 42"W x 23.5"H
Boom Lifting Capacity	N/A	440 lbs.
Weight	287 lbs.	760 lbs.
Warranty	2 years residential, 90 days commercial	

Move up to 800 lbs. with SELF-PROPELLED POWER!

The DR Powerwagon is a go-anywhere hauler designed to operate in tight spaces, and go places a trailer could never go. The engine powers the big knobby front tires that pull you up steep slopes with great stability and traction. 3-forward speeds let you match speed to walking pace, and with powered reverse, easily back out of tight spots.



- 500-800 lb. capacity, depending on the model
- 3 forward speeds and powered reverse
- Briggs and Stratton engines with up to 8.75 ft-lbs of torque
- Flatbed functionality (standard on PRO XL, available option for PREMIER and PRO models)



	PREMIER 500	PRO 700	PRO XL 800
SKU	PW23050BMN	PW25070BEN	PW27180BEN
Hauling Capacity	500 lbs.	700 lbs.	800 lbs.
Bed Volume	5.2 cu. ft.	8.0 cu. ft.	8.0 cu. ft.
Cargo Bed Style	High-Density Polyethylene (HDPE)	High-Density Polyethylene (HDPE), Powder-coated steel tailgate	High-Density Polyethylene (HDPE), Powder-coated steel tailgate
Engine	Manual-Start, 6.75 Briggs & Stratton	Electric-Start, 7.25 Briggs & Stratton	Electric-Start, 8.75 Briggs & Stratton
Warranty	Machine & Engine: 2 years residential, 90 days commercial		




Professional edging.

The **DR Lawn & Garden Edger** lets you take your yard care to the next level by cutting perfect edges with precision and confidence. The DR's 4-wheel design is more stable and precise than ordinary 3-wheeled edgers.



Both models feature a **4-WHEEL DESIGN WITH CURB HOP WHEEL** to add stability while edging along curbs.



PIVOTING HEAD allows for beveled cuts around garden beds (+15°, Vertical, -15°)

ADJUSTABLE CUTTING DEPTH
(6 positions, from 1/2" to 3")



	PRO	PRO XL
SKU	LE17181DEN	LE25190DMN
Cutting Depth	.5" to 3"	.5" to 3"
Cutting Angle	3 Settings: Vertical, +15°, -15°	3 Settings: Vertical, +15°, -15°
Engine	Electric-Start 8.1 FPT DR® OHV	Manual- Start 8.8 FPT DR® OHV
Weight	71 lbs	73 lbs
Warranty	2 yrs residential, 90 days commercial	2 yrs residential, 90 days commercial

SP30 WIDE CUT MOWER

Engineered to Perform, Built to Last!

The DR® SP30 WIDE-CUT MOWER is a 30"-wide, self-propelled mower featuring a one-piece cast aluminum deck with a lifetime-warranty, and powerful DR OHV engine. Our Flex-Speed™ Drive System lets you mow at your own pace. Available with manual- or electric-start.

3-IN-1 PERFORMANCE—side discharge, mulch, or collect clippings with our high capacity baggers (up to 2.5 bushels).

BALL BEARING MOUNTED WHEELS for easy rolling and long life.




FLEX-SPEED™ DRIVE SYSTEM lets you control your speed with a pressure-sensitive hand throttle.



DUAL BLADE DESIGN provides a precise high-quality cut.

SINGLE POINT HEIGHT ADJUSTMENT allows for cutting heights between 1" and 4".



**CAST ALUMINUM
LIFETIME
WARRANTY
MOWER DECK**

BUILT TOUGH with a one-piece cast aluminum mowing deck that comes with a LIFETIME WARRANTY!

ELECTRIC START available for easy starting.



	SP30
SKU	WM15030DMN, WM15030DEN
Cutting Width	30"
Blade	Dual Blade
Engine	Manual- or Electric-Start, 10.62 ft-lbs gross torque*, DR® OHV
Drive	Self-Propelled
Weight	Manual-Start: 117 lbs. Electric-Start: 125 lbs.
Warranty	2 yrs residential, 90 days commercial

Fence Post Installation Made Fast & Easy!



SKU: PA23052DMN

PREMIER 52 Earth Auger Power Head

Drill holes for fence posts, tree planting and new construction! The 1-Person Earth Auger has a 52cc 2-cycle engine that produces plenty of power for digging holes up to 32" deep. The drill rotates at 250 RPMs for controlled ground breaking performance. Plus, the unit weighs just 20 pounds, so it's easy to control. Wrap-around anti-vibration handles provide multiple hand positions for a sure, comfortable grip.

POWERFUL, EASY-STARTING

52cc DR® 2 Cycle Engine

ANTI-VIBE HANDLEBAR GRIPS

35:1 GEAR RATIO

Heat treated steel alloy gears

250 MAX RPM

Clockwise rotation

20mm PTO SHAFT



ACCESSORY BITS

2" to 10" diameter




Weighing in at just 20 pounds with wrap-around anti-vibration handles makes this unit easy and comfortable to operate and control.



800

DR POWER EQUIPMENT

A GENERAC POWER SYSTEMS COMPANY



**PROFESSIONAL POWER
DONE RIGHT.®**



DR POWER EQUIPMENT

800 Hinesburg Rd., South Burlington, VT 05403

At DR Power Equipment, we are dedicated to making the experience of caring for your property better. Our guiding vision is to craft innovative machines of enduring quality and uncompromising performance, each worthy of legendary status. We believe every minute spent working outdoors can be more productive, more enjoyable, and more satisfying when you have the right tools.

A GENERAC POWER SYSTEMS COMPANY



M236204



***Commercial XD
Field & Brush Mowers***
See pages 6-7